


PANGEA™

A U D I O

AC-14SE MK II Cable



Pangea AC-14SE MK II Power Cable

- Designed for source components
- Better transient response, lower noise floor
- A combination of solid and Litz conductors
- One large-gauge solid PCOCC copper center conductor
- Six medium-gauge solid OFC copper conductors surrounded by six Litz conductors
- Silver-plated copper braided shield
- Designed specifically for wide-band delivery of power to line-level AV components
- Specifically designed to enhance the performance of preamps, CD players, DVD players, DACs, and other line-level components
- Counter-spiraled conductors for superior noise rejection
- Superior flexibility for easier installation
- Lightweight design doesn't impede the effectiveness of isolation devices
- 24k gold-plated contacts for superior electrical contact
- Special two-shot molded connector bodies protect vital AC connections for maximum current delivery and long life

ความยาว

AC-14SE MKII

AC-14SE MKII-C7

0.6 เมตร*

2,000

2,000

1.0 เมตร

2,300

2,300

1.5 เมตร

2,900

2,900

2.0 เมตร

3,600

3,600

3.0 เมตร

4,500

4,500

4.0 เมตร*

5,900

5.0 เมตร*

6,800

PANGEA™

A U D I O

AC-14XL Cable




- Pangea AC-14XL Power Cable**
- Reference Power Cord for Source Components
 - Highest Purity PCOCC (99.9999% Pure) Copper Conductors
 - Increased Shielding, Improved Cable Geometry.
 - Solid Copper Blades for the AC Connections
 - Screw-in/Screw-out Solid Copper Ground Pin
 - High Grade IEC Connector

ความยาว	AC-14XL	AC-14XL-C7
0.6 เมตร	5,700	5,700
1.0 เมตร	6,800	6,800
1.5 เมตร	7,900	7,900
2.0 เมตร	9,100	9,100
3.0 เมตร	11,300	
4.0 เมตร	15,900	
5.0 เมตร	18,100	

PANGEA™

A U D I O

AC-9MK II Cable



Conductors: 5 Different wire gauges
 Insulation: PVC, 6 green/6 brown/6 blue, Z Lay
 Middle-jacket: PVC, green/brown/blue, S Lay
 Filler
 Shield 1: AL foil
 Shield 2: Braided shield 90% coverage
 Jacket: PVC, Black
 Black/gray nylon



Pangea AC-9 MK II Power Cable

- Designed specifically for high-current gear like power amplifiers
- No-compromise Cardas Grade On Copper and 99.99% purity OFC conductor
- DeathGrip IEC connector
- 7 -awg construction for optimized power delivery
- 5-way multi-gauge geometry for optimized 50 / 60 hz AC power
- Counter-spiraled conductors for Superior noise rejection
- Double-shielded for optimized high-current noise isolation

ความยาว

ราคาตั้ง

0.6 เมตร

4,500

1.0 เมตร

5,100

1.5 เมตร

6,700

2.0 เมตร

7,900

3.0 เมตร*

10,700


4.0 เมตร*

13,600

PANGEA™

A U D I O

AC-9SE MK II Cable



Pangea AC-9SE MK II Power Cable

- Premium affordable AC power cable
- Designed specifically for high-current gear like power amplifiers
- No-compromise Cardas Grade One Copper and 99.99% purity OFC conductors for maximum conductivity
- Contains several times the amount of Cardas Grade One Copper as Pangea Audio AC-9 MK II power cable
- DeathGrip IEC connector
- 7-awg construction for optimized power delivery
- 7-way multi-gauge geometry for optimized 50/60 hz AC power
- Counter-spiraled conductors for superior noise rejection
- Double-shielded for optimized high-current noise isolation

ความยาว

ราคาตั้ง

0.6 เมตร*

6,800

1.0 เมตร

7,900

1.5 เมตร

9,100

2.0 เมตร

11,300

3.0 เมตร*

15,900

4.0 เมตร*

20,400

หมายเหตุ : สำหรับความยาวที่มี เครื่องหมาย (*) จะเป็นสินค้าที่แพ็คเกจพลาสติก ไม่มีกล่อง