



# FURUTECH

## DIN

DIN		
<p><b>FP-DIN(L)</b></p> <p><b>7,250.-</b></p> <p><b>FP-DIN</b></p> <p><b>6,000.-</b></p>	<p>FP-DIN Straight and FP-DIN (L) Phono Connector Series</p> <ul style="list-style-type: none"> <li>• Rhodium-plated <math>\alpha</math> (Alpha) phosphor bronze conductor</li> <li>• Teflon Insulated Body</li> <li>• Nonmagnetic stainless steel housing</li> <li>• Soldered connections</li> <li>• Specified for cable diameters max. 10.0mm</li> <li>• Dimensions: FP-DIN • 14.0mm diameter x 54.0mm overall length</li> <li>• FP-DIN(L) • 45(L) X 19(W) X 33.4(H) mm approx.</li> </ul>	 
<p><b>CF-DIN(R)</b></p> <p><b>8,600.-/set</b></p>	<p>High End Performance Phono-DIN Connector</p> <ul style="list-style-type: none"> <li>• Rhodium-plated <math>\alpha</math> (Alpha) phosphor bronze conductor</li> <li>• Teflon Insulated Body</li> <li>• Nonmagnetic stainless steel and carbon fiber finished housing</li> <li>• Termination method: Solder</li> <li>• Specified for cable diameters max. 11.0mm</li> <li>• Dimensions: 14.2mm diameter x 40.2mm overall length</li> </ul>	